Acco Anne	MATERIAL SAFETY DATA SHEET ording to Regulation (EC) No. 1907/2006 (REACH) Arti ex II as amended. sion Date: 23.11.2023		BILADENT Page 1 of 21
Supe	ersedes Date: 25.11.2022 Version: 7.1	/	Printing date: 11.03.2024
	TION 1: Identification of the substance/mixture and	l of the company/und	ertaking
1.1	Product identifier: Commercial product name:	Kontursil – componer Duplicating silicone This substance/ mixtu	nt B ure contains nanoforms
1.2	Relevant identified uses of the substance or mixter Identified uses: Uses advised against:	ure and uses advised Moulding diverse obje None known.	
1.3	Details of the supplier of the safety data sheet		
	Manufacturer/Supplier: Street / mailbox: Country code. / postal code / city: Phone: Fax: E-mail / Website: Further information obtainable from:	SILADENT Dr. Böhm Im Klei 26 D - 38644 Goslar Tel.: +49 (0) 53 21 / 3 Fax: +49 (0) 53 21 / 3 info@siladent.de - w SILADENT Dr. Böhm	87 79 – 0 88 96 32 ww.siladent.de
1.4	Emergency telephone number SILADENT Dr. Böhme & Schöps GmbH:	+49 (0) 53 21 / 37 79	- 0 (Mon-Fri. 8 a.m. – 4 p.m.)
	TION 2: Hazards identification		
2.1.	Classification of the substance or mixture:	The product has beer legislation in force.	n classified according to the
	Classification according to Regulation (EC) No 12	72/2008 as amended	
	Health Hazards: Specific Target Organ Toxicity - Repeated Exposure	Category 2	H373: May cause damage to organs through prolonged or repeated exposure. (Target Organs: Lung)
2.2	Label Elements: Contains:	Silanamine, 1,1,1-trim hydrolysis products w	nethyl-N-(trimethylsilyl)-, ith silica
	Supplemental label information:		sheet available on request. xposure may cause skin
2.3	Other hazards: Physical Hazards:	No specific recomme	ndations.
	Health Hazards: Inhalation:	polymer, is not expec when processed unde Although classified ac product is exempt from	When encapsulated in a ted to pose a health hazard or normal conditions of use. ccording to EC criteria, this m labelling according to article ion 1.3.4.1) of regulation (CE) s noted.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B



Page 2 of 21 Printing date: 11.03.2024

Eye contact:	No specific symptoms noted.
Skin Contact:	No specific symptoms noted.
Ingestion:	No specific symptoms noted.
Other Health Effects:	No other information noted.
Environmental hazards:	No hazard identified as the maximum bioavailable concentration of Octamethylcyclotetrasiloxane (D4) is lower than the classification cut-off value (see Section 12 of this SDS). Not regarded as dangerous for the environment.
Results of PBT and vPvB assessment:	This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).
Endocrine Disruption - Health:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Endocrine Disruption - Environment:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other hazards:	Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to section 10: "Stability and Reactivity".

SECTION 3: Composition/information on ingredients

3.2 Mixtures

2.3

General information:

Mixture of organosiloxanes, additives.

Chemical name	Concentration *	Туре	CAS- No.	EC No.	REACH Registration No.	Notes
Silanamine, 1,1,1-trimethyl-N- (trimethylsilyl)-, hydrolysis products with silica	20 - <50%	Component	68909- 20-6	272- 697- 1	Exempt	
Dodecamethylcycloh exasiloxane	0,1 - <1%	Impurities	540- 97-6	208- 762- 8	01- 2119517435- 42-0002	## vPvB
Decamethylcyclopent asiloxane	0,1 - <1%	Impurities	541- 02-6	208- 764- 9	01- 2119511367- 43-0003	## vPvB
octamethylcyclotetrasiloxane; [D4]	0,01 - <0,079%	Impurities	556- 67-2	209- 136- 7	Not relevant.	# ## PBT, vPvB

EG-MATERIAL SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B



Page 3 of 21 Printing date: 11.03.2024

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).
This substance is listed as SVHC.
PBT: persistent, bioaccumulative and toxic substance.
vPvB: very persistent and very bioaccumulative substance.
ED: Endocrine Disruptor

Classification

Chemical name	Classification	Specific concentration limit: / ATE / M-Factor:	Notes
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	STOT RE 2 H373; EUH066;		
Dodecamethylcyclohexasiloxane Decamethylcyclopentasiloxane	None known. None known.		
octamethylcyclotetrasiloxane; [D4]	Flam. Liq. 3 H226; Repr. 2 H361f; Aquatic Chronic 1 H410;	Aquatic Toxicity (Chronic): 10	

The full text for all H-statements is displayed in section 16.

Particle characteristics:

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	
Assessment:	This substance/ mixture contains nanoforms ;
Particle Size:	1 - 100 nm

SECTION 4: First aid measures

	General information:	Move into fresh air and keep at rest. Take off contaminated clothing and wash it before reuse. Get medical attention immediately.
4.1	Description of first aid measures: Inhalation:	In case of inhalation: Move person into fresh air and keep at rest. Get medical attention immediately. If breathing is difficult, trained personnel should give oxygen. If breathing stops, provide artificial respiration.
	Skin Contact:	Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.
	Eye contact:	In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms occur.
	Ingestion:	Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

Acco Anne	•MATERIAL SAFETY DATA SHEET ording to Regulation (EC) No. 1907/2006 (REACH) Arti ex II as amended. sion Date: 23.11.2023	
Supe	ersedes Date: 25.11.2022 Version: 7.1	Page 4 of 21 Printing date: 11.03.2024
	Personal Protection for First-aid Responders:	First Aid responders should pay attention to self- protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.
4.2	Most important symptoms and effects, both acute and delayed:	Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.
4.3	Indication of any immediate medical attention and Notes to the physician:	d special treatment needed: No specific recommendations. Show this Safety Data Sheet to the attending physician.
SEC	TION 5: Firefighting measures	
5.1	Extinguishing media Suitable extinguishing media:	Alcohol resistant foam. Carbon dioxide (CO2). Dry sand. Water spray.
	Unsuitable extinguishing media:	Alkaline powders. Do not use water jet as an extinguisher, as this will spread the fire. For further information, refer to section 10: "Stability and Reactivity".
5.2	Special hazards arising from the substance or mixture:	Product will burn under fire conditions. This product may generate hydrogen gas. Vapours may form explosive mixtures with air. For further information, refer to section 10: "Stability and Reactivity". Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapours.
5.3	Advice for firefighters: Special firefighting procedures:	Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
	Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<u>SEC</u> 6.1	TION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures:	Personnel not required or not equipped with personal protection should be evacuated from the area. Caution: Contaminated surfaces may be slippery. Follow safe handling advice and personal protective equipment recommendations. Avoid contact with eyes, skin, and clothing. Provide good ventilation. Avoid inhalation of vapours, mists or dusts. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remove all possible sources of ignition in the surrounding area.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B

Page 5 of 21 Printing date: 11.03.2024

SILADEN

Avoid sparks, flames, heat and smoking. Keep away from Alkalis and caustic products. Prevent further leakage or spillage if safe to do so. Alert the Health,

Safety & Environmental department of spill.

Do not release into the environment. Do not discharge into drains, water courses or onto the ground. Collect spillage. Use containment for a large spill. Notify relevant authorities if this material is

Access to contaminated area only to authorized people. Absorb with sand or other inert absorbent.

Shovel up and place in a container for salvage or disposal. Materials in contact with water, moisture, acids or bases have the potential to generate

spillage must be properly labelled with correct contents and hazard symbol. Container must be kept tightly closed. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Dispose of residue in accordance with regulations in force.

hydrogen gas. Use clean non-sparking tools to collect absorbed material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Recovered material should be stored in a vented container. Never return the spilled product to its original container for reuse. Containers with collected

released to the environment.

6.2 Environmental Precautions:

6.3 Methods and material for containment and cleaning up:

6.4 Reference to other sections:

SECTION 7: Handling and storage

7.1 Precautions for safe handling

This product may generate hydrogen gas. Keep away from ignition source. Empty container after use should be stored in separate area, and be disposed after degassing completely. Take precautionary measures against static discharges. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Read and follow manufacturer's recommendations. Avoid inhalation of vapours/aerosols/dusts and contact with skin and eyes. Use mechanical ventilation in case of handling which causes formation of vapours. If ventilation is insufficient, suitable respiratory protection must be provided. See Section 8 of the SDS for Personal Protective Equipment. Provide eyewash station and safety shower and ensure that their location are labelled conspicuously. Limit the quantities of product in the work area to those which are necessary for the

Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can be found under sections 8 and 13.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B

Page 6 of 21 Printing date: 11.03.2024

Siladen

		work in hand. Handle in accordance with good industrial hygiene and safety practices. Handle and open container with care. Protect from contamination. Do not mix with incompatible materials. For further information, refer to section 10: "Stability and Reactivity". Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.
	Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
7.2	Conditions for safe storage, including any incompatibilities:	Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Provide impermeable soil. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. For further information, refer to section 10: "Stability and Reactivity". Store in original tightly closed container, equipped with a degassing device. Product may evolve minute quantities of flammable hydrogen gas which can accumulate. Adequately ventilate to maintain vapours well below flammability limits and exposure guidelines. Do not repackage. Clogged container vents may increase pressure build up. Take care to always ensure that drums are kept in their upright position at any time during transportation, handling or storage since lied down drums could result in clogged exhaust valves. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction.
	Packaging frequently used at our sites:	Polyethylene. Steel drums coated with epoxy-resin.
	Lagerklasse:	Es liegen keine Daten vor.
	Storage Class:	No data available.
7.3	Specific end use(s):	No specific recommendations. See the technical data sheet on this product for further information.

SECTION 8: Exposure controls/personal protection 8.1 Control Parameters:

Control Parameters: Occupational Exposure Limits:

octamethylcyclotetrasiloxane; [D4]

Туре	Exposure Limit Values		Source	Date	Remarks
TWA	10 ppm	120 mg/m3	WEEL		

Acco Anne Revi Supe	MATERIAL SAFETY DATA ording to Regulation (EC) No. 190 ex II as amended. sion Date: 23.11.2023 ersedes Date: 25.11.2022 htursil - component B	-	ticle 31,	Page 7 of 21 Printing date: 11.03.2024
	Monitoring methods:		with national and Europ	ure monitoring in accordance bean regulations in force, in /24/EC and 2004/37/EC.
8.2	Exposure controls: Appropriate engineering controls:		to permissible exposure and types of controls ne upon potential exposure controls are always pre equipment. Control mea adequate ventilation. In ventilation: Use process ventilation, or other eng airborne levels below re If exposure limits have	s enclosures, local exhaust gineering controls to control ecommended exposure limits. not been established, s to an acceptable level.
	Individual protection measure personal protective equipment		contact with skin and eve equipment should be ch standards, adapted to t	ours/aerosols/dusts and yes. Personal protective nosen according to applicable he conditions of use of the on with the supplier of the ipment.
	Eye/face protection:		Safety glasses with side	e shields
	Hand Protection:		named in this safety da only for the indicated in this product will be mixe need to contact a suppl	s valid only for the product ta sheet supplied by us, and tended use purposes. In case ed with other substances, you lier of CE approved protective mine the appropriate gloves.
			Prolonged or repeated Material: Nitrile. Glove thickness: 1,25 n Guideline: EN374-3	
			Short contact: Material: Nitrile / Neopr Glove thickness: 0,198 Guideline: EN374-3	
	Skin and Body Protection:		of skin contact. Isolate	ing to prevent any possibility contaminated clothing and case of splashes: Wear apron othing.

Acco	MATERIAL SAFETY DATA ording to Regulation (EC) No. 190 ex II as amended.	-	cle 31,
Revi Supe	sion Date: 23.11.2023 ersedes Date: 25.11.2022	Version: 7.1	Page 8 of 21 Printing date: 11.03.2024
NUI	tursil - component B		/
	Respiratory Protection:		If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved air-purifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the formation of dust/aerosols.
	Environmental Controls:		See sections 7 and 13 of the Safety Data Sheet.
SEC	TION 9: Physical and chemical	properties	
9.1	Information on basic physica	I and chemical prope	
	Physical state:		Liquid
	Form: Colour:		Viscous Green
	Odour:		Odourless
	pH-Value:		By definition, pH measurement consists in the
			determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to measure the pH value.
	Freezing point:		No data available.
	Boiling Point:		No data available.
	Flash Point:		> 200 °C (Closed cup according to method ASTM
	Flommobility		D56.) No data available.
	Flammability: Flammability Limit - Upper (%	()·	74 %(V) Hydrogen.
	Flammability Limit - Lower (%		4 %(V) Hydrogen.
	Vapour pressure:	<i>.</i>	< 0,1 hPa (20 °C)
	Relative vapour density:		No data available.
	Evapouration Rate:		No data available.
	Density:		Approximate 1,05 kg/dm3 (20 °C)
	Solubility(ies):		
	Solubility in Water: Solubility (other):		Practically Insoluble Diethylether: Miscible (in all proportions). Aliphatic hydrocarbons: Miscible (in all proportions). Aromatic hydrocarbons: Miscible (in all proportions). Chlorinated solvents: Miscible (in all proportions). Acetone: Very slightly soluble Ethanol: Very slightly soluble
	Partition coefficient (n-octand Self-ignition:	ol/water):	No data available. > 400 °C
			500 °C Hydrogen.
	Decomposition Temperature:		> 200 °C
	Kinematic viscosity:		Approximate 4 500 mm2/s (20 °C)
	Particle characteristics:		Not applicable.
0.0	Other informations		
9.2	Other information: Dynamic viscosity:		Approximate 5 000 mPa a
	Oxidizing properties:		Approximate 5 000 mPa.s According to the data on the components
	origing properties.		Not considered as oxidizing.
			(evaluation by structure-activity relationship)

EG-MATERIAL SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B



Page 9 of 21 Printing date: 11.03.2024

SECTION 10: Stability and reactivity 10.1 Reactivity:	No other information noted.
10.1 Reactivity.	No other momation noted.
10.2 Chemical Stability:	Material is stable under normal conditions.
10.3 Possibility of Hazardous Reactions:	This product may generate hydrogen gas.
10.4 Conditions to Avoid:	No other information noted.
10.5 Incompatible Materials:	A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when it is in contact with: Strong oxidizing agents. Alkalis and caustic products. Chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Amorphous silica. Quantity of hydrogen potentially released (I/kg of product): <5
SECTION 11: Toxicological information	
11.1 Information on hazard classes as defined in Re Acute Toxicity: Oral:	gulation (EC) No 1272/2008:
Product:	Not classified for acute toxicity based on available data.
Dermal: Product:	Not classified for acute toxicity based on available data.
Inhalation: Product:	No effects expected (assessment based on ingredients).
Repeated Dose Toxicity: Based on our knowledge of the composition information:	DODECAMETHYLCYCLOHEXASILOXANE (540-9 6): NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: OECD 422 ; Subacute exposure. NOAEL: 0,0182 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 413 ; Subchronic exposure. DECAMETHYLCYCLOPENTASILOXANE (541-02- 6): An Expert Judgment stated that no classification is necessary based on present knowledge. NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; 90 d ; Oral) ; No treatment-related adverse effects observed ; Method OECD 408

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B

Serious Eye Damage/Eye Irritation: Based on our knowledge of the composition information:

Inhalation - vapour) ; Method: OECD 413 ;
Subchronic exposure.
DECAMETHYLCYCLOPENTASILOXANE (541-02-6):
An Expert Judgment stated that no classification is necessary based on present knowledge. NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; 90 d ; Oral) ; No treatment-related adverse effects observed ; Method: OECD 408
NOAEL: 2,42 mg/l ; (Rat ; Female, Male ; 2 yr ; Inhalation - vapour) ; No treatment-related adverse

effects observed ; Method: OECD 453 NOAEL: 1 600 mg/kg ; (Rat ; Female, Male ; 28 d ; Dermal) ; No treatment-related adverse effects

SILANAMINE, 1,1,1-TRIMETHYL-N-(TRIMETHYLSILYL)-, HYDROLYSIS PRODUCTS WITH SILICA (68909-20-6): Repeated exposure may cause skin dryness or cracking.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit) ; Method: OECD 404

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not Classified Not irritating (Rabbit ; 24 h) ; Method: OECD 404

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: Similar to OECD 404

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):


Not irritating (Rabbit) ; Method: OECD 405

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not Classified Not irritating (Rabbit) ; Method: OECD 405



Page 10 of 21 Printing date: 11.03.2024



Skin Corrosion/Irritation: Based on our knowledge of the composition information:

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B SILADENT Page 11 of 21

Page 11 of 21 Printing date: 11.03.2024

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: OECD 405

Respiratory or Skin Sensitization: Based on our knowledge of the composition information:

Germ Cell Mutagenicity: In vitro: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Skin sensitization: Not a skin sensitizer. ; Not a skin sensitizer. (Mouse) ; Method: OECD 429

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells ; with and without metabolic activation) ; Method: OECD 473

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: Similar to OECD 476

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B

Page 12 of 21 Printing date: 11.03.2024

In vitro mammalian chromosomal aberration test: No clastogenic effect. (Chinese hamster ovary cells ; with and without metabolic activation) ; Method: Similar to OECD 473

In vivo: Based on our knowledge of the composition information:

Carcinogenicity: Based on our knowledge of the composition information:

Reproductive Toxicity: Fertility: Based on our knowledge of the composition information: DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse ; Intraperitoneal) ; Method: OECD 474

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Mammalian erythrocyte micronucleus test: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 474

Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 486

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Mammalian bone marrow chromosomal aberration test: negative (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 475

Rodent dominant Lethal test: negative (Rat ; Female, Male ; Gavage (Oral)) ; Method: Similar to OECD 478

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified The product is not considered to be carcinogenic. NOAEC: >= 2,42 mg/l (Rat ; Female, Male ; 24 months ; Inhalation - vapour) ; Method: Similar to OECD 453 ; No carcinogenic effects relevant to humans.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Not classified No effects expected. NOAEC: >= 8,492 mg/l (Rat ; Female, Male ; Inhalation - vapour) ; Method: Similar to OECD 453 ; Chronic exposure.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

Reproduction/developmental toxicity screening test: NOAEL (parent): >= 1 000 mg/kg ; NOAEL (F1): >= 1 000 mg/kg ; NOAEL (F2): None. (Rat ; Female, Male ; Gavage (Oral)) ; Method: OECD 422 ; The product is not considered to affect fertility. DECAMETHYLCYCLOPENTASILOXANE (541-02-

6):

Not classified

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1

Kontursil - component B

Page 13 of 21

Printing date: 11.03.2024

Fertility study 2 generations: NOAEL (parent): > 2,496 mg/l; NOAEL (F1): > 2,496 mg/l; NOAEL (F2): None. (Rat; Female, Male; Inhalation - vapour); Method: OECD 416 ; No adverse effect observed. OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): Suspected of damaging fertility. Fertility study 2 generations: NOAEL (parent): 3,64 mg/I; NOAEL (F1): 3,64 mg/I; NOAEL (F2): None. (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 416 ; Effects on fertility DODECAMETHYLCYCLOHEXASILOXANE (540-97-Teratogenicity: Based on our knowledge of the composition information: 6): Not classified NOAEL (terato): >= 1 000 mg/kg ; NOAEL (mater): >= 1 000 mg/kg (Rabbit ; Gavage (Oral)) ; Method: **OECD 414** NOAEL (terato): >= 1000 mg/kg; NOAEL (mater): >= 1 000 mg/kg (Rat ; Gavage (Oral)) ; Method: **OECD 414** DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Not classified NOAEL (terato): > 2 427 mg/l; NOAEL (mater): > 2 427 mg/l (Rat ; Inhalation) ; Method: OECD 414 ; No adverse effect observed. NOAEL (terato): > 2 427 mg/l; NOAEL (mater): > 2 427 mg/l (Rabbit : Inhalation) ; Method: OECD 414 ; No adverse effect observed. OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2): NOAEL (terato): > 8,492 mg/l; NOAEL (mater): 3,64 mg/l (Rat; Inhalation - vapour); Method: Similar to OECD 414 ; The product is not considered to be toxic for development. NOAEL (terato): > 6,066 mg/l; NOAEL (mater): 3,64 mg/l (Rabbit ; Inhalation - vapour) ; Method: Similar to OECD 414; The product is not considered to be toxic for development. **Specific Target Organ Toxicity - Single Exposure:** Based on our knowledge of the composition DODECAMETHYLCYCLOHEXASILOXANE (540-97information: 6): Based on available data, the classification criteria are not met. DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

EG-MATERIAL SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Page 14 of 21 Supersedes Date: 25.11.2022 Version: 7.1 Printing date: 11.03.2024 Kontursil - component B Based on available data, the classification criteria are not met. Specific Target Organ Toxicity - Repeated Exposure: Based on our knowledge of the composition SILANAMINE, 1,1,1-TRIMETHYL-Ninformation: May cause damage to organs (TRIMETHYLSILYL)-, HYDROLYSIS PRODUCTS through prolonged or repeated exposure.

WITH SILICA (68909-20-6): Causes damage to organs through prolonged or repeated exposure. Inhalation: Target Organ(s): Lungs

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6): Not applicable

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

No data available.

11.2 Information on other hazards: Endocrine disrupting properties:

Aspiration Hazard:

information:

SECTION 12: Ecological information

12.1 Toxicity: Acute toxicity: Fish: Based on our knowledge of the composition information:

Based on our knowledge of the composition

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204 ; No toxicity at the limit of solubility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204

EG-MATERIAL SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 (REACH) Art Annex II as amended.	icle 31,
Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B	Page 15 of 21 Printing date: 11.03.2024
	NOEC (Oncorhynchus mykiss; 96 h ; Flow through) : >= 0,016 mg/l ; Method: OECD 204
	OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556- 67-2): LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,022 mg/l ; Method: According to a standardised method.
Aquatic Invertebrates: Based on our knowledge of the composition information:	DODECAMETHYLCYCLOHEXASILOXANE (540-97- 6): EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202 ; No toxicity at the limit of solubility
	DECAMETHYLCYCLOPENTASILOXANE (541-02- 6): EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202 NOEC (Water flea (Daphnia magna); 48 h ; Flow through) : >= 0,0029 mg/l ; Method: OECD 202
	OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556- 67-2): EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,015 mg/l ; Method: According to a standardised method.
Aquatic plants: Based on our knowledge of the composition information:	DODECAMETHYLCYCLOHEXASILOXANE (540-97- 6): NOEC (growth rate) (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : >= 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : > 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility
	DECAMETHYLCYCLOPENTASILOXANE (541-02- 6): EC 50 (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : > 0,012 mg/l ; Method: OECD 201 NOEC (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : >= 0,012 mg/l ; Method: OECD 201
	OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556- 67-2): ErC50 (Algae (Pseudokirchneriella subcapitata); 96 h) : > 0,022 mg/l; Method: According to a standardisedmethod. ErC10 (Algae (Pseudokirchneriella subcapitata); 96 h) : >= 0,022 mg/l; Method: According to a standardised method.
Toxicity to microorganisms: Based on our knowledge of the composition information:	OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556- 67-2): EC 50 (3 h) : > 10 000 mg/l

EG-MATERIAL SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 (REACH) Arti Annex II as amended. Revision Date: 23.11.2023			
Supe	ersedes Date: 23.11.2023 ersedes Date: 25.11.2022 Itursil - component B	Version: 7.1	Page 16 of 21 Printing date: 11.03.2024
	Chronic Toxicity: Fish: Based on our knowledg composition information:	e of the	DODECAMETHYLCYCLOHEXASILOXANE (540-97- 6): NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210 ; No toxicity at the limit of solubility
			DECAMETHYLCYCLOPENTASILOXANE (541-02- 6): NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210
			OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556- 67-2): NOEC (Oncorhynchus mykiss; 93 d ; Flow through) : >= 0,0044 mg/l ; Method: According to a standardised method.
	Aquatic Invertebrates: Based of the composition informatio		DODECAMETHYLCYCLOHEXASILOXANE (540-97- 6): NOEC (Water flea (Daphnia magna); 21 d ; semi- static) : >= 0,0046 mg/l ; Method: OECD 211 ; No toxicity at the limit of solubility
			DECAMETHYLCYCLOPENTASILOXANE (541-02- 6): NOEC (Water flea (Daphnia magna); 21 d ; semi- static) : >= 0,015 mg/l ; Method: OECD 211
			OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556- 67-2): NOEC (Water flea (Daphnia magna); 21 d ; Flow through) : >= 0,015 mg/l ; Method: According to a standardised method.
12.2	Persistence and Degradability Biodegradation: Based on ou composition information:		DODECAMETHYLCYCLOHEXASILOXANE (540-97- 6): 4,5 % (activated sludge, domestic, non-adapted ; 28 d) ; Method: OECD 310 ; The product is not readily biodegradable.
			DECAMETHYLCYCLOPENTASILOXANE (541-02- 6): 0,14 % (28 d) ; The product is not readily biodegradable.
			OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556- 67-2): 3,7 % (activated sludge and sewage, soil ; 28 d) ; Method: OECD 310 ; The product is not considered to be readily biodegradable.
	BOD/COD Ratio:		No data available.

Acco	EG-MATERIAL SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.			
Revis Supe	Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B		Page 17 of 2 Printing date: 11.03.202	
NON	tursii - component B		/	
12.3	Bioaccumulative Potential: Bioconcentration Factor (BCF knowledge of the composition		DODECAMETHYLCYCLOHEXASILOXANE (540-9 6): Bioconcentration Factor (BCF): 2 860 (Fathead	7-
			Minnow ; 49 d) ; Method: OECD 305 ; Has the potential to bioaccumulate.	
			DECAMETHYLCYCLOPENTASILOXANE (541-02- 6): Bioconcentration Factor (BCF): 16 200 (Pimephales promelas) ; Method: OECD 305 ; The product is not bioaccumulating.	S
			OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556 67-2): Bioconcentration Factor (BCF): 14 900 (Fathead Minnow) ; Method: OECD 305 ; Not bioaccumulable based on the depuration rate constant	
	Partition coefficient (n-octano our knowledge of the compos		DODECAMETHYLCYCLOHEXASILOXANE (540-9 6): Log Kow: 8,87 (23 °C)	7-
			DECAMETHYLCYCLOPENTASILOXANE (541-02-	
			6): Log Kow: 8,02 (25,3 °C) ; Method: OECD 123	
			OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556 67-2): Log Kow: 5,10	6-
12.4	Mobility in Soil:		No data available.	
12.5	Results of PBT and vPvB asso Based on our knowledge of th information:		DODECAMETHYLCYCLOHEXASILOXANE (540-9 6): Maata v DvD gritaria (DEACH (4007/2006) Av XIII)	7-
			Meets vPvB criteria (REACH (1907/2006) Ax XIII)	
			DECAMETHYLCYCLOPENTASILOXANE (541-02- 6):	
			Meets vPvB criteria (REACH (1907/2006) Ax XIII)	
12.6	Endocrine disrupting properti	es:	OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556 67-2): Meets PBT (persistent/bioaccumulative/toxic) criteria. (REACH (1907/2006) Ax XIII) Meets vPvB criteria (REACH (1907/2006) Ax XIII) No data available.	
	Other Adverse Effects:		No data available.	
	TION 13: Disposal consideratio Waste treatment methods	/115	<u> </u>	
	General information:		Do not empty into drains. The user's attention is drawn to the possible existence of local regulations regarding disposal. Please observe the important information mentioned in the other sections. In particular, information on hazards identification and	

Revision Date: 23.11.2023		31, SILADEN Page 18 of 2
Supersedes Date: 25.11.2022 Kontursil - component B	Version: 7.1	Printing date: 11.03.202
	pro 10.	oduct stability and reactivity under sections 2 and
Disposal methods:	wa ens Dis dis and	aste of this material should not be mixed with other ste. Provide measures such as vented bungs to sure pressure relief in the waste container. spose of waste at an appropriate treatment and posal facility in accordance with applicable laws d regulations, and product characteristics at time posal. Incinerate in suitable combustion chamber
Contaminated Packaging:	pos Re aut sho	ntaminated packages should be as empty as ssible and equipped with a degassing device. cycle following cleaning or dispose of at an thorised site. Packaging that cannot be cleaned ould be disposed of in the same way as the oduct it contained.
Waste code:	(EV det by det	e waste code of the European Waste Catalogue <i>WC</i>) cannot be determined for this product, as its termination depends on how the material is used the end-users. The waste code has to be termined within the EU in agreement with the ste-disposal operator.
SECTION 14: Transport information		
ADR:	No	t Regulated.
ADN:	No	t Regulated.
RID:	No	t Regulated.
IMDG / IMO:	No	t Regulated.
		t Regulated.
	No	i regulatour
	Wa Pa	arning ckaging with a breathing/venting bung are PRBIDDEN for transport by air.
IATA Other information: SECTION 15: Regulatory informatio	Wa Pau FO	arning ckaging with a breathing/venting bung are RBIDDEN for transport by air.
IATA Other information: <u>SECTION 15: Regulatory informatio</u> 15. Safety, health and environmer	Wa Pau FO	arning ckaging with a breathing/venting bung are
IATA Other information: SECTION 15: Regulatory informatio	Wa Pau FO ntal regulations/legislati ubstances that No	arning ckaging with a breathing/venting bung are DRBIDDEN for transport by air.
IATA Other information: <u>SECTION 15: Regulatory informatio</u> 15. Safety, health and environmer EU Regulations: Regulation 1005/2009/EC on s deplete the ozone layer, Anne	Wa Pau FO ntal regulations/legislati ubstances that No x I, Controlled	arning ckaging with a breathing/venting bung are RBIDDEN for transport by air.

EG-MATERIAL SAFETY DATA According to Regulation (EC) No. 190 Annex II as amended.		; part martine contract and some contract and s	
Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Kontursil - component B	Version: 7.1	/	Page 19 of 21 Printing date: 11.03.2024
Regulation (EU) No. 649/2012 export and import of dangerou Annex I, Part 1 as amended:		None present or none pre	sent in regulated quantities.
Regulation (EU) No. 649/2012 export and import of dangerou Annex I, Part 2 as amended:		None present or none pre	sent in regulated quantities.
Regulation (EU) No. 649/2012 export and import of dangerou Annex I, Part 3 as amended:		None present or none pre	sent in regulated quantities.
Regulation (EU) No. 649/2012 export and import of dangerou Annex V as amended:		None present or none pre	sent in regulated quantities.
EU. Directive 2010/75/EU on Ir Emissions (IPPC), Annex II, L		None present or none pre	sent in regulated quantities.

EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17:

Chemical name	CAS-No.
octamethylcyclotetrasiloxane; [D4]	556-67-2

EU. REACH Annex XIV, Substances Subject to Authorization:

None present or none present in regulated quantities.

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration	Additional Information
Dodecamethylcyclohexasiloxane	540-97-6	0,1 - 1,0%	very Persistent and very
			Bioaccumulative (vPvB)
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%	very Persistent and very
			Bioaccumulative (vPvB)

Chemical name	CAS-No.	Concentration	Additional Information
Dodecamethylcyclohexasiloxane	540-97-6	0,1 - 1,0%	very Persistent and very
			Bioaccumulative (vPvB)
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%	very Persistent and very
			Bioaccumulative (vPvB)
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,01 - <0,079%	very Persistent and very
			Bioaccumulative (vPvB)Persistent,
			Bioaccumulative and Toxic (PBT)

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Entry No:	Concentration:
octamethylcyclotetrasiloxane; [D4]	556-67-2	70	0,01 - <0,079%
Decamethylcyclopentasiloxane	541-02-6	70	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
octamethylcyclotetrasiloxane; [D4]	556-67-2	0 - <0,1%

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1 Kontursil - component B



Page 20 of 21 Printing date: 11.03.2024

EU. Regulation No. 166/2006 PRTR (Pollutant
Release and Transfer Registry), Annex II:
Pollutants:

National Regulations: Wassergefährdungs-klasse (WGK):

Australia Industrial Chem. Act (AIIC):

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

New Zealand Inventory of Chemicals:

Taiwan Chemical Substance Inventory:

Thailand DIW Existing Chemical Inv. List:

Vietnam National Chemical Inventory:

Water Hazard Class (WGK):

15.2 Chemical safety assessment:

Canada DSL Inventory List: Canada NDSL Inventory:

Inventory Status

Japan (ENCS) List:

Philippines PICCS:

US TSCA Inventory:

None present or none present in regulated quantities.

WGK 1: schwach wassergefährdend. Einstufung nach AwSV, Anlage 1 (5.2)

WGK 1: slightly water-endangering. Classification according to AwSV, Appendix 1 (5.2)

Surface treated silica: When encapsulated in a polymer, is not expected to pose a health hazard when processed under normal conditions of use. For safe use information, please refer to section 8 of this SDS.

Not in compliance with the inventory. Not in compliance with the inventory. Not in compliance with the inventory. On or in compliance with the inventory. Not in compliance with the inventory. On or in compliance with the inventory.

SECTION 16: Other information

EINECS, ELINCS or NLP:

Revision Information:		
SECTION 2:	Modification:	Classification of the substance or mixture
SECTION 3:	Modification:	Composition/information on ingredients
SECTION 15:	Modification:	Regulatory information

Abbreviations and acronyms:

CLP:	Regulation No. 1272/2008.
PBT:	persistent, bioaccumulative and toxic substance.
vPvB:	very persistent and very bioaccumulative substance.
NOAEL:	No Observable Adverse Effect Level
LOAEL:	Lowest Observable Adverse Effect Level
ED:	Endocrine Disruptor
SVHC:	Listed on the Candidate List of substances of very high concern (SVHC)

Wording of the H-statements in section 2 and 3:

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH210	Safety data sheet available on request.
H226	Flammable liquid and vapour.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended. Revision Date: 23.11.2023 Supersedes Date: 25.11.2022 Version: 7.1

Kontursil - component B



Page 21 of 21 Printing date: 11.03.2024

Issue Date:

23.11.2023

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment